

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

0300

In Re Application of:
Bristol et al.


Serial No. 10/007,772

Filed: Nov. 8, 2001

For: IMPLANTABLE THERAPEUTIC
SUBSTANCE INFUSION DEVICE
CONFIGURATION SYSTEM



Atty. Docket 539.337.3.1



Assistant Commissioner
for Patents
Washington, D.C. 20231

COPY OF PAPERS
ORIGINALLY FILED

RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

This is responsive to the Notice to File Corrected Application Papers mailed 01/10/2001. Enclosed are thirty-one (31) sheets of formal drawings. Also enclosed is a copy of the Notice to File Corrected Application Papers, as required.

It is believed that applicant has complied with all requirements set forth in the Notice.

Dated: 3/11/02

Respectfully submitted,

A handwritten signature of Thomas L. McMasters.

Thomas L. McMasters
Reg. No. 45,593
FREDRIKSON & BYRON, P.A.
1100 International Centre
900 Second Avenue South
Minneapolis, MN 55402-3397
(612) 347-7087

2005 FEB 24 10:00 AM



UNITED STATES PATENT AND TRADEMARK OFFICE

00539.337.3.1

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/007,772	11/08/2001	Guy Scott Bristol	539.337.3.1

Thomas L. McMasters
Fredrikson & Byron, P.A.
900 Second Avenue South
1100 International Centre
Minneapolis, MN 55402



COPY OF PAPERS
ORIGINALLY FILED

CONFIRMATION NO. 3162

FORMALITIES LETTER



OC00000007292656

Response due:

3-10-02 Resp. due

Docketed

1-16-02 DLH

Date Mailed: 01/10/2002

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);
 - drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1));

*A copy of this notice **MUST** be returned with the reply.*

MTB
Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

Recorded & Indexed
Property Department

JAN 11 2002

2007-03-09